


## Standard Vibration dampers

### Dimensions

Type 4




D	H	G	
6	7	M3xh	
8	5	M3xh	
8	8		
8	10		
9	12	M3xh M4xh M5xh	
10	8	M3xh M4xh M5xh	
10	10		
10	15		
10	17		
10	18		
10	30		
11	11	M3xh M4xh M5xh	
12	10	M3xh M4xh M5xh	
13	26	M4xh M5xh M6xh	
15	4	M4xh	
15	5		
15	6	M4xh M5xh	
15	7		
15	8		
15	9		
15	10		
15	12		
15	13		
15	15		
15	20		
15	25		
15	30		
16	18		M4xh M5xh
20	5		M5xh M6xh M8xh
20	8		
20	10		
20	11	M5xh/M5 M6xh/M6 M8h/M8	
20	12		
20	13		
20	15		
20	17		
20	20		
20	23		
20	25		
20	30		

# VIBRATION DAMPERS

## Dimensions

Type 4




D	H	G
25	8	M6xh M8xh
25	10	
25	12	
25	13	
25	14	
25	15	
25	17	
25	18	
25	19	
25	20	
25	22	
25	25	
25	27	
25	28	
25	30	
26	22	M6xh M8xh
30	8	M6xh M8xh M10xh
30	10	
30	12	
30	13	
30	15	
30	17	
30	18	
30	20	
30	22	
30	25	
30	30	
30	35	
30	45	
30	40	
40	10	
40	15	
40	20	
40	25	
40	27	
40	28	
40	30	
40	35	
40	38	M6xh M8xh M10xh
40	40	
40	45	
40	60	
50	7	
50	9	
50	12	M8xh M10xh M12xh
50	15	
50	17	
50	20	
50	21	
50	25	
50	27	
50	28	
50	30	
50	35	
50	37	
50	40	
50	42	
50	45	
50	50	
50	80	

# VIBRATION DAMPERS

## Dimensions

Type 4



D	H	G
60	15	M8xh
60	16	M10xh
60	20	M12xh
60	25	
60	30	
60	35	
60	40	
60	45	
60	50	
60	60	
65	35	M12xh
70	20	M10xh
70	25	M12xh
70	30	
70	35	
70	40	
70	45	
70	50	
70	53	
70	55	
70	60	
70	70	
75	20	M10xh
75	25	M12xh
75	30	
75	35	
75	40	
75	45	
75	50	
75	55	
75	60	
75	70	
75	100	
80	17	M10xh
80	18	M12xh
80	30	M14xh
80	40	M16xh
80	50	
80	55	
80	60	
80	65	
80	70	
80	75	
80	80	
90	60	M12xh
100	25	M12xh
100	30	M16xh
100	35	
100	40	
100	45	
100	50	
100	55	
100	60	
100	65	
100	70	
100	75	
100	80	
100	100	
150	50	M16xh
150	55	M20xh
150	60	
150	75	
200	100	M20xh

# VIBRATION DAMPERS

## Thread lengths (h)

<b>G</b>	<b>(h) mm</b>
<b>M3</b>	4, 6, 10
<b>M4</b>	6, 8, 10
<b>M5</b>	10, 12, 15
<b>M6</b>	6, 8, 10, 12, 15, 18, 20, 23, 28
<b>M8</b>	8, 10, 12, 15, 18, 20, 23, 25, 28, 33
<b>M10</b>	10, 12, 15, 18, 20, 23, 25, 28, 33, 38, 43
<b>M12</b>	10, 12, 18, 20, 23, 25, 27, 33, 37, 42
<b>M16</b>	26, 36, 41, 46
<b>M20</b>	41, 45